

APM_NEW

WEIGHING SCALES "APM" SERIES



These new bench weighing scales are fitted with a weight indicator which can be mounted attached to the platform or fixable to the wall, thanks to the stretchable cable. The big 50mm LCD display allows to easily read the weight in any condition. Easy Carrying Built-in Handgrip Design. Available also CE-M APPROVED for legal for trade use.

Working in cooperation with:

Vetek AB

Hantverkarsvägen 15 - 76040 - Väddö - SWEDEN
Tel. 0046-176208920 Fax. 0046-176208929
olle@vetek.se

The best solution
for advanced industrial
applications

WEIGHING SCALES "APM" TECHNICAL FEATURES

- Weighing Scales fitted with a large LCD backlit display, 5 x 50mm digits.
- Membrane waterproof keypad.
- Flexible indicator mounting system. It can be attached to the scale or placed up to 50cm away, on a table or fixed to the wall.
- Weighing Scales plate in stainless steel, 280x330mm size.
- Level bubble and adjustable feet are available as standard.
- Easy Carrying Built-in Handgrip Design for an easy transport.
- Built-in rechargeable battery (about 300h battery life) and 230 Vac power adapter.
- Scales capacity and reading division are freely programmable, also in Double Range interval.
- Adjustable weighing filter.
- Operating Condition -10°C~40°C, with non-condensing R.H.<85%
- Scale weight: 6kg.
- Packaging: 480x310x190mm size - approximate weight of 7kg.

FUNCTIONS OF "APM" WEIGHING SCALES

- The APM weighing scales multifunctional program includes:
 - Zeroing
 - Semi-automatic tare
 - Automatic tare
 - Preset tare (PT)
 - Weight totalisation
 - Animal weighing
 - Counting
 - Weight check HI-OK-LO
 - Kg/lb conversion.

WEIGHING SCALES "APM" MAIN OPTIONS

- The main options of the "APM" weighing scales are the following:
 - ACCREDIA calibration with issuing of relative certificate
 - 3000e CE-M approval (with first Periodical Check included, 3 years validity)

DETAIL 1



Flexible indicator mounting system.

VERSIONS

Versioni disponibili			
Codice	Max (kg)	d (g)	M (g) *
APM30-1	15/30	5/10	5/10
APM150-1	60/150	20/50	20/50

(*) Divisioni CE-M ottenibili solo con le relative opzioni.



DINI AR GEO
FRANCE sarl
Nogent-sur-Marne

DINI AR GEO
GMBH
Sinsheim - Germany

DINI AR GEO
UK Ltd
Taunton - United Kingdom

DINI AR GEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI AR GEO
WEIGHBRIDGES
Calto (RO) - Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



Vetek AB

Hantverkarsvägen 15 - 76040 - Väddö - SWEDEN

Tel. 0046-176208920 Fax. 0046-176208929

olle@vetek.se

SALES AND TECHNICAL ASSISTANCE SERVICE