

PB

"PB" SERIES SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a stainless steel surface having a precise and sturdy structure.

- Up to 15000d resolution.
- OIML R60 C3.
- IP65 protection.

Working in cooperation with:

VETEK AB

HANTVERKSVÄGEN 15 - 76493 - VÄDDÖ - SWEDEN Tel. +46176-208920, info@vetek.com, www.vetek.com The best solution for advanced industrial applications


TECHNICAL FEATURES

- Optional calibration service from 6000d to 15000d (internal use); 3000e approved OIML R60 C3.
- Functioning with a "single point" 350 Ohm aluminium load cell, IP65 protection degree.
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with stainless steel loading surface.
- Up to 15 Vdc power supply.
- 3m shielded cable for connection to the indicator.
- Upon request:
 - 3000e CE-M approval;
 - support column for indicator.

SUPPORT BRACKETS AND COLUMNS

• Example of use with bracket, attached column or floor column.





Available versions					
	Ixwxh	Max	d	M	d HR
Codice	(mm)	(kg)	(g)	(g)*	(g)*
PBT6	300x300x130	6	1	2	0,5
PBT15	300x300x130	15	2	5	1
PBT30	300x300x130	30	5	10	2
PBQ30	400x400x140	30	5	10	2
PBQ60	400x400x140	60	10	20	5
PBQ150	400x400x140	150	20	50	10
PBM30	400x500x140	30	5	10	2
PBM60	400x500x140	60	10	20	5
PBM150	400x500x140	150	20	50	10
PBX60	600x600x150	60	10	20	5
PBX150	600x600x150	150	20	50	10
PBX300	600x600x150	300	50	100	20
PBY60	600x800x150	60	10	20	5
PBY150	600x800x150	150	20	50	10
PBY300	600x800x150	300	50	100	20
PBE300	800x800x165	300	50	100	20
PBE600	800x800x165	600	100	200	50

^(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.





DINI ARGEO FRANCE sarl Nogent-sur-Marne DINI ARGEO GMBH Sinsheim - Germany **DINI ARGEO UK Ltd**Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China DINI ARGEO WEIGHBRIDGES Calto (RO) – Italy



HEAD OFFICE Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy







VETEK AB

HANTVERKSVÄGEN 15 - 76493 - VÄDDÖ - SWEDEN

Tel. +46176-208920, info@vetek.com, www.vetek.com

SALES AND TECHNICAL ASSISTANCE SERVICE