


## CLV

### CLV: U CLEVIS FOR RBJ ROD-END BALL JOINTS



Steel clevis for the easy installation of the tension load cells. In combination with the RBJ rod-end ball joints, they allow you the correct alignment of the suspended load.

Working in cooperation with:

**VETEK AB**

HANTVERKSVÄGEN 15 - 76493 - VÄDDÖ - SWEDEN  
Tel. +46176-208920, [info@vetek.com](mailto:info@vetek.com), [www.vetek.com](http://www.vetek.com)

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- Material: galvanized steel.
- Easy to install.
- Fitted with threaded bush for an easy installation to the supporting system.
- Locking pin fitted as a standard, with a quick locking/unlocking system.

### DETAIL 1



### DETAIL 2



CLV clevis with pin and seegers (M24).

DETAIL 3





www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI AR GEO  
FRANCE sarl  
Nogent-sur-Marne

DINI AR GEO  
GMBH  
Sinsheim - Germany

DINI AR GEO  
UK Ltd  
Taunton - United Kingdom

DINI AR GEO WEIGHING  
INSTRUMENTS Ltd  
Shanghai - China

DINI AR GEO  
WEIGHBRIDGES  
Calto (RO) – Italy



HEAD OFFICE  
Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy



**VETEK AB**

HANTVERKSVÄGEN 15 - 76493 - VÄDDÖ - SWEDEN

Tel. +46176-208920, info@vetek.com, www.vetek.com

SALES AND TECHNICAL ASSISTANCE SERVICE