



More information on the website
radwag.com/en/info,w1,091

PLC/6/F1



The drawings, photos and graphics used are for illustrative purposes only.

Datasheet

Metrological parameters	
Maximum capacity [Max]	6 kg
Readability [d]	2 g
Physical parameters	
Protection class	IP 65
Weighing pan dimensions	300×300 mm
Packaging dimensions	570×390×170 mm
Construction	
Construction	mild steel St3S
Weighing pan material	stainless steel AISI304



Accessories

PUE CY10 Weighing Terminal

CY10 Multifunctional Scale

- CY10.15/30.F1.K.M3 Multifunctional Scale [WP-125-1007]
- CY10.60/150.C3.K.M3 Multifunctional Scale [WP-125-1014]
- CY10.3.D2.K.M3 Multifunctional Scale [WP-125-0003]
- CY10.30.F1.K.M3 Multifunctional Scale [WP-125-0019]
- CY10.1,5/3.D2.K.M3 Multifunctional Scale [WP-125-1001]
- CY10.6.D2.K.M3 Multifunctional Scale [WP-125-0004]
- CY10.30.C3.K.M3 Multifunctional Scale [WP-125-0039]
- CY10.150/300.C2.K.M3 Multifunctional Scale [WP-125-1011]
- CY10.60.C3.K.M3 Multifunctional Scale [WP-125-0041]
- CY10.30/60.C3.K.M3 Multifunctional Scale [WP-125-1013]
- CY10.15.C2.K.M3 Multifunctional Scale [WP-125-0022]
- CY10.60.C2.K.M3 Multifunctional Scale [WP-125-0028]
- CY10.0,6.D2.K.M3 Multifunctional Scale [WP-125-0001]
- CY10.6.F1.K.M3 Multifunctional Scale [WP-125-0013]
- CY10.30.C2.K.M3 Multifunctional Scale [WP-125-0025]
- CY10.15/30.C2.K.M3 Multifunctional Scale [WP-125-1008]
- CY10.1,5.F1.K.M3 Multifunctional Scale [WP-125-0007]
- CY10.15.D2.K.M3 Multifunctional Scale [WP-125-0005]
- CY10.150.C2.K.M3 Multifunctional Scale [WP-125-0031]
- CY10.3/6.D2.K.M3 Multifunctional Scale [WP-125-1002]
- CY10.30/60.C2.K.M3 Multifunctional Scale [WP-125-1009]
- CY10.15.C3.K.M3 Multifunctional Scale [WP-125-0037]
- CY10.6/15.F1.K.M3 Multifunctional Scale [WP-125-1006]
- CY10.60/150.C2.K.M3 Multifunctional Scale [WP-125-1010]
- CY10.3/6.F1.K.M3 Multifunctional Scale [WP-125-1005]
- CY10.15.F1.K.M3 Multifunctional Scale [WP-125-0016]
- CY10.300.C2.K.M3 Multifunctional Scale [WP-125-0034]
- CY10.1,5.D2.K.M3 Multifunctional Scale [WP-125-0002]
- CY10.150.C3.K.M3 Multifunctional Scale [WP-125-0043]
- CY10.300.C3.K.M3 Multifunctional Scale [WP-125-0045]
- CY10.3.F1.K.M3 Multifunctional Scale [WP-125-0010]
- CY10.6/15.D2.K.M3 Multifunctional Scale [WP-125-1003]
- CY10.150/300.C3.K.M3 Multifunctional Scale [WP-125-1015]
- CY10.15/30.C3.K.M3 Multifunctional Scale [WP-125-1012]
- CY10.0,6/1,5.D2.K.M3 Multifunctional Scale [WP-125-1000]

PUE 5 Weighing Terminal

- PUE 5.19R Terminal [WX-008-0034]
- PUE 5.15IR Terminal [WX-008-0035]
- PUE 5.19C Terminal [WX-008-0038]
- PUE 5.19IR Terminal [WX-008-0037]
- PUE 5.15C Terminal [WX-008-0036]

CY10 Precision Balance

- CY10.6/12.D2.K Precision Balance [WL-225-1009]
- CY10.30/60.C2.K Precision Balance [WL-225-1006]
- CY10.12.F1.K Precision Balance [WL-225-0009]
- CY10.60/120.C2.K Precision Balance [WL-225-1008]
- CY10.3/6.D2.K Precision Balance [WL-225-1000]
- CY10.6.F1.K.M2 Precision Balance [WL-225-0007]
- CY10.12/30.F1.K Precision Balance [WL-225-1004]
- CY10.30.F1.K Precision Balance [WL-225-0011]
- CY10.120.C2.K Precision Balance [WL-225-0015]
- CY10.2.D2.K Precision Balance [WL-225-0002]
- CY10.10.D2.K Precision Balance [WL-225-0004]
- CY10.1.D2.K Precision Balance [WL-225-0001]
- CY10.60.C2.K.M2 Precision Balance [WL-225-0013]
- CY10.6/12.F1.K Precision Balance [WL-225-1002]
- CY10.20.D2.K Precision Balance [WL-225-0005]
- CY10.6.D2.K.M2 Precision Balance [WL-225-0003]

PUE C32 Weighing Terminal

PUE 7.1 Weighing Terminal


PUE HX7 Weighing Terminal

PUE C315 Weighing Terminal


PUE HY10 Weighing Terminal

PUE H315 Weighing Terminal


Device dimensions




PL/D2



PLC/F1



PLC/C2
PLC/C3



PL/H
PL/HR



Platform type	A1	A2	H
PL/D2	238	216	82±3
PLC/F1	300	300	70±3
PLC/C2	402	502	103±3
PLC/C3	701	501	130±5
PL/H1 / PL/HR1	150	200	85±3
PL/H2 / PL/HR2	250	300	103±3
PL/H3 / PL/HR/3	410	410	98±3
PL/H3/5 / PL/HR/3/5	400	600	155±3
PL/H4 / PL/HR/4	500	500	155±3
PL/H5 / PL/HR/5	600	600	155±3
PL/H6	800	800	135±3

dimensions in mm